

Health Check-up Kiosk Sation Height Weight Blood Pressure Fat Scale HS-V12BH



Product Advantage

Ultrasonic non-contact measurement

10.2 inch LCD advertising screen

Multi-country coins are acceptable(optional)

Intelligent face recognition (optional)

Support multi-languages

Voice broadcast

Thermal printer

Blood pressure and heart rate measurement

Fat body composition measurement

Transferable data: RS232, WIFI, Bluetooth (optional), RJ45 (optional)

Functions:

Touchless Ultrasonic height sensor

Measurement range:20-210cm

Measure accuracy:±0.1cm/±0.5cm

Precision balance beam resistance strain type weighing sensor

Measurement range:2-500kg

Measurement accuracy: ±0.1kg/±0.01kg

Blood pressure and heart rate measurement

Support: left and right arm measurement/standing/sitting/free disassembly

Fat body composition measurement

Human body biological resistance, touch measurement, can analyze body fat mass, muscle mass, body water, protein, basic metabolism, body bone mass, etc.

Body Temperature measurement

Support body temperature/surface temperature measurement

Blood oxygen measurement

Finger clip oximeter, measuring blood oxygen saturation

Blood sugar measurement

Micro blood collection, quick measurement results

Automatic BMI (Body mass index) calculation

Intelligent face recognition (optional)

10.2 inch LCD color large screen

Adopt high definition LCD 10.2 inch display system, intelligent guidance voice/animation prompts, play promotional videos, pictures, etc

Coin slot (optional)

Support multi-country coins, could also accept game coin

Ticket printer

Printed content: time, date, weight, height, BMI, Ideal weight, healthy weight range

Support printing in multi-country language, you can customize headers and footer, advertising slogans

Voice announcement, can also be muted

Support multi-country language, Fully automatic voice broadcast to guide the measurement process, Broadcast measured value after the measurement is completed

East to move

The machine have wheels at the bottom, easy to transport and move

Optional units

cm;/kg, m/kg, Pounds, feet and inches

Specification:

Model	HS-V12BH
Height Measurement	Measuring system: precision resistance strain sensor
	Measurement range: 2-500kg
	Measurement accuracy:±0.1kg
	Indexing value:0.1kg or 0.01kg (adjustable)
Weight Measurement	Measuring system: Touchiness ultrasonic height sensor
	Measurement range: 20-210cm
	Measurement accuracy:±0.5cm
	Indexing value:0.5cm or 0.1cm (adjustable)
BMI (Body Mass Index)	Automatic display
Blood pressure measurement	Measuring principle
	Intelligent pressure technology, oscillometric method(support left and right arm
	measurement)
	Measure range:
	Pressure : 0-299mmHg(0kPa-39.9kPa), Pulse 40-180 beats/min
	Measurement accuracy
	Pressure: ±3mmHg(±4kPa), Pulse rate: accuracy of±5%
Fat Composition Measurement	Measuring principle
	4 electrodes Human body bioelectrical impedance method (BIA)
	Technical Parameter
	250Khz Measuring current:90uA or below AC
	Measuring range: 5%-75%
Extended Functions	Body temperature gun , Oximeter, Blood glucose meter
LCD screen	Hd LCD 10.2-inch display system play promotional videos and pictures
Multiple languages	English, Spanish, Portuguese, French, Italian, Russian, Arabic, Thai, etc.
	(can be customized)
Ticket printer	Thermal paper prints time , date , weight , height, BMI, Ideal weight, healthy
	weight range, etc
Coin function (optional)	Support multi-country coins , including game coins, can set the number of coins
Data communication	RS232 serial port, Bluetooth (optional), WIFI (optional) , 3G/4G
	(optional),cloud transmission (optional) RJ45 port (optional) etc.
Working Voltage	AC100V-240V(50Hz/60Hz)
Power consumption	≤15W (about 1kw per 60hrs)
Dimensions	580*575*2320mm
Packing Size	One production is divided into two boxes
	178*24*50cm (20kg)
	41*68*48cm (25kg)
Weight	Gross weight: 41.5kg, Net weight:46.5kgs