



## IoT Low and Medium Speed Dynamic Checkweigher MCS-A



### Full Range of Checkweighers

Dynamic checkweigher series products include medium and low-speed checkweighers suitable for vertical packaging machines, high-speed checkweighers suitable for pharmaceutical and food quality inspection, and large-scale checkweighers suitable for packaging and logistics industries. Heavy technical performance is very good. global series of products are committed to assisting the needs of online production weighing, quality inspection, etc. in hardware, food, pharmaceutical, daily necessities, logistics and other industries, and provide one or more solutions. In addition, also provides integrated solutions, through the combination of dynamic checkweighers and other product inspection technologies (such as: metal detection, X-ray inspection and visual inspection), so as to meet the more comprehensive needs of customers and provide more complete solutions .

### Total solution

Comprehensive solution of dynamic checkweigher and metal detector system  
Comprehensive solutions for dynamic checkweighers and packaging machines  
Comprehensive solutions for dynamic checkweighers and labelling machines (jet printers)  
Supported by distributors and ancillary suppliers around the world

### Diverse product options

Up to 20 standard dynamic checkweighers and additional optional devices  
Provide a variety of ranges and materials (eg: carbon steel spray, aluminum alloy, stainless steel) to meet different needs and environments  
Provides a variety of data communication standards (Example: Ethernet, RS485 and RS232 technology), which can realize seamless connection with data network suppliers around the world  
Remote maintenance technology, support remote maintenance and remote upgrade  
Support Industrial cloud and IOT integration mechanism

**Feature:**

Applicable to the back-end re-inspection of vertical packaging machines

A good partner for vertical packaging machines

Support Industrial cloud

Support compliance through data capture

Hardware packaging, food

packaging, pharmaceutical packaging

Weighing range: 3 g – 500 g

Accuracy:  $\pm 0.5$  g ~ 5 g

Working efficiency:  $\leq 60$  pieces/min

Touch screen size: 7 inches

**Production Size:**



